

Forskningsöversikt traumatologi

Katastrofmedicinskt centrum Linköping
Kunskapscentrum i traumatologi
på uppdrag av Socialstyrelsen

Bevakningsperiod 2 oktober 2021 - 1 oktober 2022



Sammanställt av Katastrofmedicinskt centrum, Linköping, Region Östergötland
Kunskapscentrum i traumatologi på uppdrag av Socialstyrelsen
Författarna svarar för innehåll och slutsatser.

Linköping, 31 oktober 2022

Innehåll

Introduktion och metod.....	1
Resultat	2
Blödningskontroll.....	2
Skjutvapenvåld...	3
Särskilda händelser.....	4
Svenska kohortstudier.....	4
Riktlinjer.....	5
Pågående registerforskning.....	6
Avhandlingar.....	6
Bilaga 1	7

Introduktion

Denna rapport utgör en forskningsöversikt över kunskapsområdet traumatologi och är en av tre årliga leveranser inom uppdraget som kunskapscentrum i katastrofmedicin genomför på uppdrag av Socialstyrelsen. I upphandlingsdokument (2.7-31938/2019) beskrivs leveransen som följer: Forskningsöversikten ska omfatta en sammanställning av vetenskaplig litteratur (artiklar i vetenskapliga tidskrifter och doktorsavhandlingar) samt presentationer på vetenskapliga möten och konferenser i urval som publicerats och/eller presenterats under föregående år. Baserat på ovanstående underlag ska Kunskapscentrumet identifiera och kortfattat summa forskningsresultat inom kunskapsområdet som direkt eller indirekt kan stärka den svenska hälso- och sjukvårdens katastrofmedicinska beredskap...Kunskapscentrumet ska även identifiera kunskapsluckor inom kunskapsområdet samt analysera och dra slutsatser gällande behov av framtida forskningsstudier som kan stärka den svenska hälso- och sjukvårdens katastrofmedicinska beredskap.

Metod

Urvalet av artiklar är baserat på det omvärldsbevakningsarbete som pågått under bevakningsperioden: kunskapscentrumet har identifierat källor med utgångspunkt i instruktion i upphandlingsdokument och på basen av publikationpraxis inom det svenska fältet och därutöver kontinuerligt inhämtat publikationer från databasen PubMed. För begränsning i ett brett forskningsfält har sökning i databas koncentrerats på trauma, traumavård och/eller injury och forskning som pågår i eller utgår från Sverige. Bevakning av utvalda tidskrifter inkluderar internationell forskning och riktlinjer från medicinska föreningar och ämnesföreträdare. Manuell bevakning av utvalda tidskrifter och tips från involverat nätverk kompletterade databassökning. Publikationer om akutvård och prehospital vård med inriktning på trauma, kvalitetssäkring och transfusion inkluderades. Specifika skadetyper associerade till ortopedi eller sportmedicin exkluderades.

PubMed-sökning

Söktermer : Trauma or trauma care or injury and Sweden
 Trauma care and Sweden in Swedish

Bevakade tidskrifter

Prehospital and Disaster Medicine
European Journal of Trauma and Emergency Care
American Journal of Emergency Care
Journal of Trauma and Acute Care Surgery
Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine
Academic Emergency Medicine
Prehospital Emergency Care
Journal of American College of Surgeons
World Journal of Surgery
British Journal of Surgery
Annals of Surgery
JAMA Surgery
Resuscitation
Injury
Burns
Trauma

Resultat

Tematisk indelning av de 266 inkluderade publicerationerna resulterade i 13 kategorier (se bilaga 1). Fem månader in i bevakningsperioden startade Ryssland ett anfallskrig mot Ukraina, vilket har lett till ökning i publikation av artiklar och editorials inom militärmedicin, militär-civil samverkan och lärdomar från fältet 'tactical medicine' för tillämpning i civilsjukvården. Till exempel innehöll Journal of Trauma and Acute Care Surgerys augustinummer 2022 ett supplement med artiklar om militärmedicin, blodförsörjning, trauma i fält, triage och militär-civil-samverkan.

Khorram-Manesh A, Goniewicz K, Burkle FM, Robinson Y.

Review of Military Casualties in Modern Conflicts-The Re-emergence of Casualties From Armored Warfare.

Mil Med. 2022 Mar 28;187(3-4):e313-e321.

Khorram-Manesh et al. gör en översikt av kunskapsläget för skadade från bepansrad krigsföring. Bepansrade fordon möjliggör mobilisering och koncentrering av styrkor i moderna konflikter, men anti-tankvapen kan orsaka stor skada för soldater. Senaste utvecklingen i Ukraina och Georgien visar på att moderna konflikter innehåller tungt bepansrad krigsföring på mark, delvis på grund av graden på sofistikerade luftvärnssystem i bruk i dag. Olika typer av vapen mot bepansrade fordon orsakar olika typer av skador; minor leder till sprängskador i nedre extremiteter och bäcken, ryggskador och hjärnskador. Anti-tankmissiler orsakar spräng- och brännskador, hjärnskador och shellshock. Vanligaste orsaken till morbiditet och mortalitet förblir sprängskada och ballistisk skada, accelerations- och deaccelerationsskada, termisk skada och förgiftning, men med ökning i skottskada och brännskador observerade i moderna konflikter. Den medicinska utgången av bepansrad, mekaniserad krigsföring är skadade från detonationer och skottskador, där över 50 procent av skadade inte överlever 24 timmar utan adekvat vård, och i urban miljö drivs siffran upp av begränsade möjligheter till evakuering. Översikten uppmärksammar behovet av registerföring och data för att kunna skapa korrekta skade-estimeringar. Behovet av planering för evakuering och utbildad personal i alla led är avgörande för att kunna erbjuda vård för skadade i modern krigsföring.

Blödningskontroll

Sedan the Hartford Consensus (2013) och lanseringen av Stop the Bleed-kampanjen i USA har forskning genererats om allmänheten som första insatsaktör och utbildning i blödningskontrollnade tekniker. Säker prehospital tourniquet-applicering av lekmän och andra aktörer har undersökts och en studie genomförd för 'American Association for the Surgery of Trauma' (AAST) i USA och test av tourniquet med audiovisuell hjälp för lekmän lyfts i denna översikt.

Schroll, Rebecca ; Smith, Alison; Alabaster, Kelsey et al.

AAST multicenter prospective analysis of prehospital tourniquet use for extremity trauma.

Journal of Trauma and Acute Care Surgery: June 2022 - Volume 92 - Issue 6 - p 997-1004

AAST-studien inkluderade 1312 skadade (extremiteter) som behandlats på 29 AAST-traumacentrum mellan 2015 och 2020. Störst andel tourniqueter applicerades av akutsjukvården (46,9 procent), följt av polis eller räddningstjänst (30 procent); 0,4 procent applicerades av läkare eller sjuksköterska närvarande på skadeplats, och 0,6 procent av icke-medicinskt utbildad lekman; för 22 procent av applicerade tourniqueter fanns inte data för vem som satt förbandet. Improviserad tourinquet hade applicerats på 29 skador. Resultaten visar att prehospitalt applicerad tourniquet var associerat med tre gånger lägre risk för att den skadade anlände till sjukhus med cirkulationssvikt. I den aktuella studien fanns ingen signifikant skillnad i mängd transfunderede blodprodukter under de första 24 timmarna efter ankomst till sjukhus mellan tourniquet- och kontrollgrupperna. Ingen skillnad i förekomst av nervskada fanns, trots att frekvensen amputation var högre i tourniquet-gruppen (10,7 procent jämfört med kontrollgruppens 5,7 procent). Ingen skillnad i mortalitet fanns mellan grupperna, men tid till död var signifikant kortare i kontrollgruppen (2,3 dagar ± 0,1 dag jämfört med tourniquet-gruppens 4,2 dagar ± 0,2 dag). Studien är den största prospektiva utvärderingen av prehospital tourniquetapplicering, och den största multicenter-studien som genomförts på civil population.

Goolsby, Craig; Jonson, Carl-Oscar; Goralnick, Eric; et al.

The Untrained Public's Ability to Apply the Lay-person Audiovisual Assist Tourniquet vs a Combat Application Tourniquet: A Randomized Controlled Trial.

Journal of the American College of Surgeons:
September 27, 2022 – Volume – Issue – 10.1097/
XCS.0000000000000432

Ett av Stop the Bleed-kampanjens fem mål är att blödningsskontrollkit ska innehålla just-in-time-instruktioner och visuella hjälpmittel för användning av utrustningen. I samarbete med forskare från bland annat UCAL Medical Center, Harvard Medical School och National Center for Disaster Medicine and Public Health Medicine i USA har forskare vid Katastrofmedicinskt centrum utvecklat en tourniquet som ska kunna användas av lekmän, utan träning. LAVA (Layperson Audiovisual Assist) tourniqueten ger en serie röst- och ljussignaler för att vägleda användaren. Förspänning av bandet sker automatiskt med hjälp av en fjäderbelastad inrullning, och LAVA-tourniqueten har ett greppvänligt vridhjul och en mätare som återkopplar på det tryck som användaren applicerar. Studiedeltagare för att testa tourniqueten rekryterades i Sverige på central allmän plats och på universitetsområdet i Linköping, och i USA på bland annat mässan som anordnas i samband med Boston Marathon.

Resultaten visade att otränade lekmän fyra gånger oftare placerade LAVA-tourniqueten på rätt sätt jämfört med en klassisk tourniquet för militärt bruk. Deltagarna hade också positiva åsikter om användbarheten av LAVA, och applicerade LAVA-tourniqueten snabbare än den klassiska tourniqueten (stoppade den simulerade blödningen på kortare tid).

Skjutvapenvåld

Skjutvapenvåldet och dess följer för akut- och skjutvården har varit ett aktuellt ämne under bevakningsperioden. I maj 2022 skedde den värsta skol-skjutningen sedan Sandy Hook (2012) i Uvalde, Texas där gärningsmannen dödade 19 barn och två vuxna, och skadade 17 personer. Septembernumret 2022 av The Journal of the Medical Association (JAMA) var ett temanummer tillägnat "Firearms and Violence". Chefsredaktörerna för JAMA inleder ledaren "The Unrelenting Epidemic of Firearm Violence" med att poängtala att

vapenvåldet är ett kliniskt, folkhälsomässigt, samhälleligt och politiskt problem i massiv skala.

Khoshnood AM.

Increasing rates of firearm violence in Sweden: a challenge for the emergency care.
Eur J Emerg Med. 2022 Apr 1;29(2):95-96.

Koshnood diskuterar vapenvåldets konsekvenser för akutmedicinen i Sverige i en perspectives-artikel publicerad i European Journal of Emergency Medicine våren 2022. Enligt statistik från Brotsförebyggande rådet (BRÅ) har andra typer av dödligt våld minskat medan skjutvapenvåldet ökat, och andelen dråp med skjutvapen ökat från 20 procent till 40 procent sedan 2010-talet. Följder för akutvården ett är stort antal extremitetsskador och nedstängda akutmottagningar på grund av tillströmning av personer kopplade till fallet, och för ambulansvården osäkra arbetsförhållanden och ibland behov av poliseskort vid ankomst till skadeplats. Uppdatering kring rättsliga faktorer som omringar traumafall till följd av skjutvapenvåld är även aktuellt.

Lyons JG.

Epidemiology of ballistic fractures in the United States: A 20-year analysis of the Firearm Injury Surveillance Study.
Injury. 2022 Nov;53(11):3663-3672.

I september 2022 publicerades en deskriptiv epidemiologisk studie på ballistiska skador i USA under en 20-årsperiod. Data från Firearm Injury Surveillance Study studerades för att identifiera vapeninducerade frakturer som behandlats på akutkliniker mellan 2000 och 2019. Störst andel skador fanns på nedre extremiteterna (45,9 procent av fallen), följt av övre extremiteter (32,8 procent). Diafysär femurfraktur var den mest frekventa skadan till antal (fraktur på mitten av lårbenet). Vanligaste orsaken bakom ballistisk skada var överfall. Under studietiden kunde en ökning i person-years at risk (PYR) observeras, från 15,7 år per 1 miljon invånare till 96,8.

Särskilda händelser

Gathen, M., Welle, K., Jaenisch, M. et al.
Are orthopaedic surgeons prepared? An analysis of severe casualties from the 2021 flash flood and mudslide disaster in Germany.
Eur J Trauma Emerg Surg 48, 4233–4241 (2022).

I juli 2021 drabbades delar av Tyskland av störflooder, översvämnings och lerskred. 184 personer avled i Rheinland-Pfalz och Nordrhein-Westfalen. Syftet med beskriven studie var att samla data om skadepanorama och lärdomar från hantering av naturkatastrof i västra Europa. Patienter med muskuloskeletal skador som vårdades på ett sjukhus i Bonn under första veckan av händelsen inkluderades. Masskadeprotokoll aktiverades inte på grund av stegevis ankomst av patienter till sjukhuset, och triagering och intag fungerade för allvarligt skadade. Medel-ISS (Injury Severity Score) var $5,7 \pm 2,7$; ingen skadad var drabbad av polytrauma. Störst andel skador var på nedre extremiteter och mjukvävstrauman. Bäckenskador, skador på ryggrad och hjärnskakningar utgjorde resten av typskadorna. 63 patienter behandlades (ortopedisk och traumakirurgi), 30 procent tillhörde triage-kategorierna "very urgent" och "immediate". Inga intrahospitala dödsfall förekom. Hantering och flytt av patienter försvårades av brist på kommunikation mellan sjukhusen i området på grund av elavbrott och kollapsat mobilnät. Informationsutbyte skedde främst via akutvården, och triagering genomfördes på skadeplats av ambulanssjukskötterskor och akutläkare för transport till traumacentrum. Författarna förespråkar starkt multidisciplinär hantering av liknande händelse och träning i traumaomhändertagande i svår/resursknapp miljö; patienterna uppvisade olika symptom utöver skador, och discipliner som intermedicin, neurokirurgi, eller oral-och käkkirurgi krävdes i flera fall. Utöver medicinsk hantering tillkom mikrobiologisk uppföljning (exponering för förorenat vatten) och psyko-logiskt stöd för de drabbade.

El Zahran, T., Geha, M., Sakr, F. et al.
The Beirut Port Blast: spectrum of injuries and clinical outcomes at a large tertiary care center in Beirut, Lebanon.
Eur J Trauma Emerg Surg (2022).

Tidig morgon den 4 augusti 2020 exploderade 2750 ton ammoniumnitrat i hamnen i Beirut, Libanon. Explosionen var den största icke-

nukleära detonationen i modern tid. Inkluderad retrospektiv studie beskriver skadepanorama, behandling och utgång för skadade direkt efter explosionen och upp till en vecka efteråt vid akutkliniken på the American University of Beirut Medical Center (AUBMC). Med 42 platser på akutkliniken inkom över 500 patienter under första dygnet efter detonationen. 359 vuxna och pediatrika patienter påverkade av explosionen med tillgänglig dokumentation inkluderades i aktuell studie; 95,6 procent var vuxna. Mest förekommande skadan var penetrerande trauma (45,7 procent) på övre extremiteter och nedre extremiteter. Efter extremiteter var skalle och ansikte samt thorax mest presenterade skadelokalisation. Observerade skadetyper var öppna sår/skärsår (35,1 procent), kontusioner (34,2 procent), frakturer (18,9 procent) samt stukningar, vrückningar och dislokationer (6,1 procent). 60,4 procent av omhändertagande krävde diagnostisk avbildning, hos 64 procent av fallen fanns positiva fynd. Skadepanorama överensstämmer med tidigare observerade fall och andra studier av Beirut-händelsen; stor andel skador och lacerationer uppkommer från krossat glas vid detonation i urban miljö.

Svenska kohortstudier

Holmberg, L., Mani, K., Thorbjørnsen, K. et al.
Trauma triage criteria as predictors of severe injury - a Swedish multicenter cohort study.
BMC Emerg Med 22, 40 (2022).

Tidigare studier om de nationella traumalarmskriterierna som infördes 2017 är begränsade i till exempel undersökt population. Studien av Holmberg, L et al. syftade till att inkludera hela traumapopulationen och genomföra en multicenter kohortstudie för att utvärdera kriterierna på individ- och grupp niveau, för att se om ytterligare revision av kriterierna krävs. New Injury Severity Score (NISS) användes för skade-evaluering. Inkluderade patienter var registrerade i SweTrau under år 2018 (n=626) vid sex akutsjukhus i mellersta Sverige (varav ett universitetssjukhus). Resultaten visar att traumalarmskriterierna är effektiva för att identifiera allvarlig skada och patienter i behov av akut omhändertagande. Både under- och övertriagering har minskat sedan kriterierna implementerades. Nuvarande kombination av kriterier var överlägsen andra undersökta kombinationer, och inget nytt kriterium visade på så stor effekt att en förändring vore motiverad.

Lovisa Strömmér, Fredrik Lundgren, Poya Ghorbani, Thomas Troëng.
Risk-adjusted mortality in severely injured adult trauma patients in Sweden. BJS Open, Volume 6, Issue 2, April 2022, zrac017

Risk-justerad traumamortalitet (risk-adjusted mortality, RAM) utgörs av en jämförelse med observerad mortalitet och predikterad mortalitet. Den predikterade mortaliteten beräknas statistiskt baserat på olika prediktorer för död på grund av trauma, som till exempel allvarlighetsgrad för skada. RAM används internationellt för att jämföra traumavården för olika patientpopulationer. Studien syftade till att skapa en prediktionsmodell för traumamortalitet, och jämföra RAM-ratios för kliniskt relevanta subgrupper i den svenska traumapopulationen som behandlats på universitetssjukhus eller akutsjukhus. Patienter registrerade i SweTrau med ISS över 15, ålder över 15 och känd överlevnad upp till 30 dagar efter sjukhusvistelse i tidsspannet 1 januari 2013 - 31 december 2017 inkluderades, och tre subgrupper undersöktes. RAM-ratios beräknades för patienter med liknande riskprofil som behandlats på olika sjukhus, och resultaten visar att skillnad i RAM mellan sjukhustyper drivs av skillnader i mortalitet på grund av traumatisk hjärnskada. Ingen data i studien visar på att akutsjukhusens traumavårdskvalitet var lägre för patienter utan TBI eller för penetrerande trauma.

Wickbom F, Persson L, Olivecrona Z, Undén J. Management of paediatric traumatic brain injury in Sweden: a national cross-sectional survey. Scand J Trauma Resusc Emerg Med. 2022 May 12;30(1):35..

Enkätstudie över omhändertagande av barn med traumatisk hjärnskada i Sverige sedan publicering av Scandinavian Neurotrauma Committee Guidelines 2016 (SNC16). Enkätfrågorna behandlade första 24 timmarna av hanteringsrutiner för pediatrik TBI, inkluderat en analys över utveckling av rutiner sedan 2006 (jämfört med tidigare studie av Åstrand et al.). Rutiner över Sverige skiljer sig fortsättningsvis men implementering av riktlinjer, rutiner för skriftliga observationer och information till patient och måls-män har förbättrats. Aktuell studie kan fungera som baslinje för implementeringsstudier för SNC16 i Sverige.

Riktlinjer

Kategorin riktlinjer innehåller publikationer om behandling, protokoll och beslutsstöd från valideringsstudier och föreningar och beslutande organ.

Olsen F, Lundborg F, Kristiansson J et al. Validation of the Nottingham Hip Fracture Score (NHFS) for the prediction of 30-day mortality in a Swedish cohort of hip fractures. Acta Anaesthesiol Scand. 2021 Nov;65(10):1413-1420

Hörer TM, Pirouzram A, Khan M et al., Damage Control Resuscitation Committee. Endovascular Resuscitation and Trauma Management (EVTM)-Practical Aspects and Implementation. Shock. 2021 Dec 1;56(1S):37-41.

de Moya, Marc; Brasel, Karen J; Brown, Carlos et al. Evaluation and management of traumatic pneumothorax: A Western Trauma Association critical decisions algorithm. Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 103-107

Yorkgitis, Brian K; Berndtson, Allison E; Cross, Alisa et al. American Association for the Surgery of Trauma/American College of Surgeons-Committee on Trauma Clinical Protocol for inpatient venous thrombo-embolism prophylaxis after trauma. Journal of Trauma and Acute Care Surgery: March 2022 - Volume 92 - Issue 3 - p 597-604

Inaba, Kenji MD; Alam, Hasan B; Brasel, Karen J. et al. A Western Trauma Association critical decisions algorithm: Resuscitative endovascular balloon occlusion of the aorta. Journal of Trauma and Acute Care Surgery: April 2022 - Volume 92 - Issue 4 - p 748-753

Newgard, Craig D.; Fischer, Peter E.; Gestring, Mark et al. National Guideline for the Field Triage of Injured Patients: Recommendations of the National Expert Panel on Field Triage, 2021. Journal of Trauma and Acute Care Surgery: April 27, 2022

Nelson, Adam; Reina, Raul; Northcutt, Ashley et al.
Prospective validation of the Rib Injury Guidelines
for traumatic rib fractures.
Journal of Trauma and Acute Care Surgery: June
2022 - Volume 92 - Issue 6 - p 967-973

Joseph, Bellal; Obaid, Omar; Dultz, Linda et al.
Validating the Brain Injury Guidelines: Results of
an American Association for the Surgery of Trauma
prospective multi-institutional trial.
Journal of Trauma and Acute Care Surgery: August
2022 - Volume 93 - Issue 2 - p 157-165

Mahoney, Eric J.; Bugaev, Nikolay; Appelbaum,
Rachel; et al.
Management of the open abdomen: A systematic
review with meta-analysis and practice
management guideline from the Eastern
Association for the Surgery of Trauma.
Journal of Trauma and Acute Care Surgery:
September 2022 - Volume 93 - Issue 3 - p e110-
e118

Pågående registerforskning, enligt SweTraus årsrapport

Utöver tidigare rapporterade uttag har följande uttag för studier gjorts från SweTrau under 2021

Denise Bäckström, Linköping: "Covid-19 pandemins sekundära traumatologiska effekter".

Carl Montan, Stockholm: "Traumaledarfunktionen och sammansättning av svenska traumateam".

Avhandlingar baserade på SweTrau-data under bevakningsperioden

Eriksson, J.
Aspects of risk factors, pathophysiology and outcomes in trauma.
Stockholm: Karolinska Institutet, 2022. Doktorsavhandling (disputation 2022-02-18).

Syftet med avhandlingsarbetet var att identifiera risk- och skyddsfaktorer för komplikationer och dödlighet hos de patienter som överlever den akuta fasen efter trauma.

von Oelreich, E.
Long-term outcomes after trauma and intensive care.
Stockholm: Karolinska Institutet, 2021. Doktorsavhandling (disputation 2021-11-19).

Avhandlingsarbetet ämnade att höja kunskapen om morbiditet över lång tid och vårdresultat för trauma-patienter och patienter som överlevt intensivvård genom fyra epidemiologiska studier med hjälp av nationella och regionala register. Studierna visar att traumapatienten drabbas av signifikant långtidsmorbiditet som är oberoende av traumarelaterade faktorer och att opioider är associerade till ökad risk för död.

Bilaga 1

Kategoriindelning av totalt 266 inkluderade publikationer.

Identifierad kategori	Antal inkluderade publikationer
Prediktion, behandling	61
Epidemiologi, skador	36
Transfusion, koagulopati	27
Triage, MCI, avsiktliga attacker	23
Pediatrisk och äldre patientgrupp	20
Traumatisk hjärnskada- TBI	19
Prehospitalt	16
Rehabilitering, uppföljning	12
Forskningsmetodik	12
Tactical medicine	11
Covid-19	10
Traumateam, utbildning	10
Riktlinjer	9

Prediktion, behandling

Becker, L., Schulz-Drost, S., Spering, C. et al.	Effect of surgical stabilization of rib fractures in polytrauma: an analysis of the TraumaRegister DGU®.	Eur J Trauma Emerg Surg (2022).
Bentin, J.M., Posselt-Møller, E., Svenningsen, P. et al.	A characterization of trauma laparotomies in a scandinavian setting: an observational study.	Scand J Trauma Resusc Emerg Med 30, 43 (2022).
Bieler, D., Trentzsch, H., Franke, A. et al.	Evaluation of a standardized instrument for post hoc analysis of trauma-team-activation-criteria in 75,613 injured patients an analysis of the TraumaRegister DGU®.	Eur J Trauma Emerg Surg 48, 1101–1109 (2022).
Brigode, W., Adra, A., Capron, G. et al.	The American Association for the Surgery of Trauma (AAST) Liver Injury Grade Does Not Equally Predict Interventions in Blunt and Penetrating Trauma.	World J Surg 46, 2123–2131 (2022).
Candefjord S, Asker L, Caragounis EC.	Mortality of trauma patients treated at trauma centers compared to non-trauma centers in Sweden: a retrospective study.	Eur J Trauma Emerg Surg. 2022 Feb;48(1):525-536.
Chun, Magnus BS; Zhang, Yichi BS; Becnel, Chad MD, et al.	New Injury Severity Score and Trauma Injury Severity Score are superior in predicting trauma mortality,	Journal of Trauma and Acute Care Surgery: March 2022 - Volume 92 - Issue 3 - p 528-534
Dijkink, S., van Zwet, E.W., Krijnen, P. et al.	The impact of regionalized trauma care on the distribution of severely injured patients in the Netherlands.	Eur J Trauma Emerg Surg 48, 1035–1043 (2022).
Douglas, Molly; Obaid, Omar; Castanon, Lourdes	After 9,000 laparotomies for blunt trauma, resuscitation is becoming more balanced and time to intervention shorter: Evidence in action.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 307-315
Driessen, M.L.S., van Klaveren, D., de Jongh, M.A.C. et al.	Modification of the TRISS: simple and practical mortality prediction after trauma in an all-inclusive registry.	Eur J Trauma Emerg Surg (2022).
Elkbuli, A et al.	Interfacility transfers and the prevalence of dead on arrival among trauma populations transferred to ACS-COT-verified trauma centers: A nationwide analysis of the ACS-TQIP dataset	The American Journal of Emergency Medicine 2022 available online Jan 13
Fakhry, Samir M.; Morse, Jennifer L.; Wilson, Nina Y. et al.	Hyperglycemia in nondiabetic adult trauma patients is associated with worse outcomes than diabetic patients: An analysis of 95,764 patients.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 316-322
Falhammar H, Koskinen SK, Kistner A.	Adrenal trauma experience at a major tertiary centre in Sweden: Clinical and radiological findings.	Clin Endocrinol (Oxf). 2022 Jul;97(1):28-35.

Falksen, Jessica A; Duby, Jeremiah J ; Wilson, Machelle D et al.	Effect of Delay and Disruption in Venous Thromboembolism Prophylaxis in Trauma Patients: Case-Control Study.	Journal of the American College of Surgeons: July 2022 - Volume 235 - Issue 1 - p 34-40
Fujita, Motoo; Maeda, Takuma; Miyata, Shigeki et al.	Association of trauma severity with antibody seroconversion in heparin-induced thrombocytopenia: A multicenter, prospective, observational study.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 402-408
Gennequin, M., Bachelet, D., Eloy, P. et al.	Empiric antimicrobial therapy for early-onset pneumonia in severe trauma patients.	Eur J Trauma Emerg Surg (2022).
Habarth-Morales, Theodore E; Rios-Diaz, Arturo J; Gadomski, Stephen P. et al.	Direct to OR resuscitation of abdominal trauma: An NTDB propensity matched outcomes study,	Journal of Trauma and Acute Care Surgery: May 2022 - Volume 92 - Issue 5 - p 792-799
Hakkenbrak, N., Mikdad, S., Van Embden, D., et al.	In-House Attending Trauma Surgeon Does Not Reduce Mortality in Patients Presented to a Level 1 Trauma Center	Prehospital and Disaster Medicine, 1-5.
Halldorsson K, Nummela M, Thorisdottir S, et al.	CT after emergency surgery in penetrating trauma: a seven-year experience in a level I Nordic trauma center.	Acta Radiol. 2022 May 3:2841851221094966.
Hamad, Doulia M.; Mandell, Samuel P; Stewart, Ronald et al.	Error reduction in trauma care: Lessons from an anonymized, national, multicenter mortality reporting system,	Journal of Trauma and Acute Care Surgery: March 2022 - Volume 92 - Issue 3 - p 473-480
Hardy, B.M., Enninghorst, N., King, K.L. et al.	The most critically injured polytrauma patient mortality: should it be a measurement of trauma system performance?.	Eur J Trauma Emerg Surg (2022). https://doi.org/10.1007/s00068-022-02073-z
Hodgson, S et al.	Use of a National Trauma Registry to target violence reduction initiatives	Injury, Published: July 4
Iyer, Vishnu; Hagedorn, Judith C.; Vavilala, Monica S. et al.	Resource utilization and secondary overtriage for patients with traumatic renal injuries in a regional trauma system,	Journal of Trauma and Acute Care Surgery: June 2022 - Volume 92 - Issue 6 - p 1061-1065
Jenkins, Peter C.; Timsina, Lava; Murphy, Patrick et al.	Extending Trauma Quality Improvement Beyond Trauma Centers	Annals of Surgery: February 2022 - Volume 275 - Issue 2 - p 406-413
Kuas, C et al.	The diagnostic value of laboratory tests in detecting solid organ injuries in pediatric patients with blunt abdominal trauma: A prospective, observational study	The American Journal of Emergency Medicine 2022 available online May 1
Laverty, Robert B.; Treffalls, Rebecca N.; McEntire, Shane E. et al.	Life over limb: Arterial access-related limb ischemic complications in 48-hour REBOA survivors	Journal of Trauma and Acute Care Surgery: April 2022 - Volume 92 - Issue 4 - p 723-728

Lovisa Strömmér, Fredrik Lundgren, Poya Ghorbani, Thomas Troëng,	Risk-adjusted mortality in severely injured adult trauma patients in Sweden,	BJS Open, Volume 6, Issue 2, April 2022, zrac017,
Lupton, JR, Davis-O'Reilly, C, Jungbauer, RM, et al.	Mechanism of injury and special considerations as predictive of serious injury: A systematic review.	Acad Emerg Med. 2022; 00: 1- 12
Maarseveen, O.E.C.v., Ham, W.H.W., Huijsmans, R.L.N. et al.	The pace of a trauma resuscitation: experience matters.	Eur J Trauma Emerg Surg (2022).
Maeshima, K., Yamamoto, R. & Sasaki, J.	Trauma-Angio score as a predictor of urgent angioembolization for blunt trauma: development and validation using independent cohorts.	Eur J Trauma Emerg Surg (2022). June 8.
Manzano-Nunez, Ramiro; Gomez, Alexandra; Espitia, David et al.	A meta-analysis of the diagnostic accuracy of chest ultrasound for the diagnosis of occult penetrating cardiac injuries in hemodynamically stable patients with penetrating thoracic trauma	Journal of Trauma and Acute Care Surgery: February 2021 - Volume 90 - Issue 2 - p 388-395
Mason Sutherland et al.	Trauma outcomes for blunt and penetrating injuries by mode of transportation and day/night shift	The American Journal of Emergency Medicine Volume 48, October 2021, Pages 79-82
McDonogh, Jack; Lewis, Daniel P. Tarrant, Seth et al.	Preperitoneal packing versus angioembolization for the initial management of hemodynamically unstable pelvic fracture: A systematic review and meta-analysis,	Journal of Trauma and Acute Care Surgery: May 2022 - Volume 92 - Issue 5 - p 931-939
Minervini, F., Peek, J., van Veelen, N.M. et al.	Nonunion of traumatic rib fractures: a suitable indication for surgery?.	Eur J Trauma Emerg Surg (2022).
Moore L, Bérubé M, Tardif P, et al.	Quality Indicators Targeting Low-Value Clinical Practices in Trauma Care.	JAMA Surg. Published online April 27, 2022.
Nagasawa H, Omori K, Nojiri S, et al.	The fibrin/fibrinogen degradation product level on arrival in trauma patients is a better predictor of a fatal outcome than physiological or anatomical severity: A retrospective chart review	Trauma. 2022;24(1):43-50.
Neil G. Parry	Stopping extremity hemorrhage: More than just a tourniquet,	Surgery Open Science, Available online 17 November 2021
Paran, M et al.	Do signs of abdominal wall injury on computed tomography predict intra-abdominal injury in trauma patients with a seatbelt sign?	Injury, Published: June 30
Perlman, R., Bonge, S.	Regional anesthesia in trauma patients: a quality improvement study.	Eur J Trauma Emerg Surg (2022). https://doi.org/10.1007/s00068-022-02097-5

Pino, Elizabeth C.; Fontin, Francesca; James, Thea L. et al.	Mechanism of penetrating injury mediates the risk of long-term adverse outcomes for survivors of violent trauma	Journal of Trauma and Acute Care Surgery: March 2022 - Volume 92 - Issue 3 - p 511-519
Sam, A.S.Y., Nawijn, F., Benders, K.E.M. et al.	Outcomes of the resuscitative and emergency thoracotomy at a Dutch level-one trauma center: are there predictive factors for survival?.	Eur J Trauma Emerg Surg (2022).
Sangji, Naveen F.; Gerhardinger, Laura; Oliphant, Bryant W; et al.	Failure to rescue in trauma: Early and late mortality in low- and high-performing trauma centers.	Journal of Trauma and Acute Care Surgery: August 2022 - Volume 93 - Issue 2 - p 176-186
Schellenberg, Morgan; Owattanapanich, Natthida; DuBose, Joseph J et al.	Resuscitative Endovascular Balloon Occlusion of the Aorta in Penetrating Trauma	, Journal of the American College of Surgeons: May 2022 - Volume 234 - Issue 5 - p 872-880
Schroll, Rebecca ; Smith, Alison; Alabaster, Kelsey et al.	AAST multicenter prospective analysis of prehospital tourniquet use for extremity trauma,	Journal of Trauma and Acute Care Surgery: June 2022 - Volume 92 - Issue 6 - p 997-1004
Shibahashi, K., Matsunaga, H., Ishida, T. et al.	A new screening model for quantitative risk assessment of blunt thoracic aortic injury.	Eur J Trauma Emerg Surg (2022).
Stausberg, T., Ahnert, T., Thouet, B. et al.	Endotracheal intubation in trauma patients with isolated shock: universally recommended but rarely performed.	Eur J Trauma Emerg Surg (2022).
Steinvall I, Elmasry M, Abdelrahman I, et al.	ABO blood group and effects on ventilatory time, length of stay and mortality in major burns a retrospective observational outcome study.	Burns. 2022 Jun;48(4):785-790.
Stolarski, Allan E.; Young, Lorraine; Weinberg, Janice et al.	Early metabolic support for critically ill trauma patients: A prospective randomized controlled trial,	Journal of Trauma and Acute Care Surgery: February 2022 - Volume 92 - Issue 2 - p 255-265
Thompson, A., Gida, S., Nassif, Y. et al.	The impact of frailty on trauma outcomes using the Clinical Frailty Scale	Eur J Trauma Emerg Surg 48, 1271–1276 (2022).
Tollman J, Ahmed Z.	Ventilating the blast lung: Exploring ventilation strategies in primary blast lung injury.	Trauma. April 2022.
van Wessem, K.J.P., Leenen, L.P.H. & Hietbrink, F.	Physiology dictated treatment after severe trauma: timing is everything.	Eur J Trauma Emerg Surg (2022).
Vang, M., Østberg, M., Steinmetz, J. et al.	Shock index as a predictor for mortality in trauma patients: a systematic review and meta-analysis.	Eur J Trauma Emerg Surg (2022).
Vasse, M., Leone, M., Boyer, L. et al.	Impact of the implementation of a trauma system on compliance with evidence-based clinical management guidelines in penetrating thoracic trauma.	Eur J Trauma Emerg Surg (2022). https://doi.org/10.1007/s00068-022-02071-1

Vincent LE, Talanker MM, Butler DD, et al.	Association of Changes in Antithrombin Activity Over Time With Responsiveness to Enoxaparin Prophylaxis and Risk of Trauma-Related Venous Thromboembolism.	JAMA Surg. Published online June 22, 2022.
Waalwijk, J.F., Lokerman, R.D., van der Sluijs, R. et al.	The influence of inter-hospital transfers on mortality in severely injured patients.	Eur J Trauma Emerg Surg (2022). https://doi.org/10.1007/s00068-022-02087-7
Wallgren UM, Sjölin J, Järnbert-Pettersson H, Kurland L.	Performance of NEWS2, RETTS, clinical judgment and the Predict Sepsis screening tools with respect to identification of sepsis among ambulance patients with suspected infection: a prospective cohort study.	Scand J Trauma Resusc Emerg Med. 2021 Sep 30
Wellme E, Mill V, Montán C.	Evaluating tourniquet use in Swedish prehospital care for civilian extremity trauma.	Eur J Trauma Emerg Surg. 2021 Dec;47(6):1861-1866.
Wong, WG et al.	The cost of treatments for retained traumatic hemothorax: A decision analysis	Injury VOLUME 53, ISSUE 9, P2930-2938, SEPTEMBER 01, 2022
Zambetti, Benjamin R; Stuber, Jacqueline D; Patel, Devanshi D et al.	Impact of Endovascular Stenting on Outcomes in Patients with Traumatic Subclavian Artery Injury,	Journal of the American College of Surgeons: April 2022 - Volume 234 - Issue 4 - p 444-449
Zibung E, von Oelreich E, Eriksson J, Buchli C, Nordenvall C, Oldner A.	Long-term opioid use following bicycle trauma: a register-based cohort study.	Eur J Trauma Emerg Surg. 2022 Sep 12. doi: 10.1007/s00068-022-02103-w.
Zogg, Cheryl K.; Cooper, Zara; Peduzzi, Peter et al.	Beyond In-Hospital Mortality: Use of Post-Discharge Quality-Metrics Provides A More Complete Picture of Older Adult Trauma Care.	Annals of Surgery: September 15, 2022
Älgå A, Löfgren J, Haweizy R, et al.	Cost analysis of negative-pressure wound therapy versus standard treatment of acute conflict-related extremity wounds within a randomized controlled trial.	World J Emerg Surg. 2022 Feb 10;17(1):9

Epidemiologi, skador

Al-Thani, H., Hakim, S., Asim, M. et al.	Patterns, management options and outcome of blunt thoracic aortic injuries: a 20-year experience from a Tertiary Care Hospital.	Eur J Trauma Emerg Surg (2022).
Amin K, Skyving M, Bonander C, Krafft M, Nilson F.	Fall- and collision-related injuries among pedestrians in road traffic environment - A Swedish national register-based study.	J Safety Res. 2022 Jun;81:153-165.
Arshad, Z et al.	Cycling-related Trauma Admissions to the Major Trauma Centre in the Cycling Capital of the United Kingdom	Injury, Published: September 14

Driessen, M.L.S., de Jongh, M.A.C., Sturms, L.M. et al.	Severe isolated injuries have a high impact on resource use and mortality: a Dutch nationwide observational study.	Eur J Trauma Emerg Surg (2022).
El Zahran, T., Geha, M., Sakr, F. et al.	The Beirut Port Blast: spectrum of injuries and clinical outcomes at a large tertiary care center in Beirut, Lebanon.	Eur J Trauma Emerg Surg (2022).
Eriksson J, Niska A, Forsman Å.	Injured cyclists with focus on single-bicycle crashes and differences in injury severity in Sweden.	Accid Anal Prev. 2022 Feb;165:106510. doi: 10.1016/j.aap.2021.106510.
Fagerlind H, Harvey L, Humburg P, Davidsson J, Brown J.	Identifying individual-based injury patterns in multi-trauma road users by using an association rule mining method.	Accid Anal Prev. 2022 Jan;164:106479. doi: 10.1016/j.aap.2021.106479.
Falhammar H, Koskinen SK, Kistner A.	Adrenal trauma experience at a major tertiary centre in Sweden: Clinical and radiological findings.	Clin Endocrinol (Oxf). 2022 Jul;97(1):28-35.
Fokin, A.A., Wycech Knight, J., Abid, A.T. et al.	Sternal fractures in blunt trauma patients.	Eur J Trauma Emerg Surg (2022).
Gan-El, E., Ngatchou Djomo, W., Pascu Ciobanu, A.M. et al.	Risk assessment, consequences, and epidemiology of electric scooter accidents admitted to an emergency department: a prospective observational study.	Eur J Trauma Emerg Surg (2022).
Heyland DK, Wibbenmeyer L, Pollack JA et al.	A Randomized Trial of Enteral Glutamine for Treatment of Burn Injuries.	N Engl J Med. 2022 Sep 15;387(11):1001-1010. doi: 10.1056/NEJMoa2203364.
Hietbrink F, Mohseni S, Mariani D, et al. & Visceral Trauma Section of the European Society of Trauma, Emergency Surgery.	What trauma patients need: the European dilemma.	Eur J Trauma Emerg Surg. 2022 Jul 7.
Jerkeman M, Sultanian P, Lundgren P, et al.	Trends in survival after cardiac arrest: a Swedish nationwide study over 30 years.	Eur Heart J. 2022 Aug 4:ehac414. doi: 10.1093/eurheartj/ehac414.
Juanita A Haagsma et al.	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. Arch Public Health. 2022 May 20;80(1):142.	Arch Public Health. 2022 May 20;80(1):142.
Khoshnood AM.	Increasing rates of firearm violence in Sweden: a challenge for the emergency care.	Eur J Emerg Med. 2022 Apr 1;29(2):95-96.
Krahelski O et al.	Major trauma associated with mobility scooters: An analysis of the trauma audit research network	Injury, Published:June 16,

Larsen Wiik, J et al.	Epidemiology of abdominal trauma: An age- and sex-adjusted incidence analysis with mortality patterns	Injury, Published:June 13, 2022DOI: https://doi.org/10.1016/j.injury.2022.06.020
Liasidis, Panagiotis K.; Jakob, Dominik A.; Schellenberg, Morgan et al.	Falls from ladders: Injury patterns and outcomes.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 323-331
Lyons, J.	Epidemiology of Ballistic Fractures in the United States: A 20-Year Analysis of the Firearm Injury Surveillance Study	Injury, Published: September 13
Marco, C et al.	Acute trauma: Seasonal and daily variations in injury patterns	The American Journal of Emergency Medicine 2022 available online July 26
Moschovou M, Antepohl W, Halvorsen A, Pettersen AL, Divanoglou A.	Temporal changes in demographic and injury characteristics of traumatic spinal cord injuries in Nordic countries - a systematic review with meta-analysis.	Spinal Cord. 2022 Sep;60(9):765-773. doi: 10.1038/s41393-022-00772-3.
Nordström P, Bergman J, Ballin M, Nordström A	Trends in Hip Fracture Incidence, Length of Hospital Stay, and 30-Day Mortality in Sweden from 1998-2017: A Nationwide Cohort Study.	Calcif Tissue Int. 2022 Jul;1
Nutbeam, T., Fenwick, R., Smith, J.E. et al.	A Delphi study of rescue and clinical subject matter experts on the extrication of patients following a motor vehicle collision.	Scand J Trauma Resusc Emerg Med 30, 41 (2022).
Nyberger K, Caragounis EC, Djerf P, Wahlgren CM.	Epidemiology of firearm injuries in Sweden.	Eur J Trauma Emerg Surg. 2022 Jun;48(3):2349-2357.
Oosthuizen, G.V., Klopper, J., Buitendag, J. et al.	Penetrating colon trauma – outcomes related to single versus multiple colonic suture injuries.	Eur J Trauma Emerg Surg (2022).
Oppriessnig, E et al.	Epidemiology of burn injury and the ideal dressing in global burn care – Regional differences explored	Burns, available online July 1 2022
Pape, HC et al.	Pathophysiology in patients with polytrauma	Injury, online May 14 2022
Reitano, E et al.	Current trends in the diagnosis and management of traumatic diaphragmatic injuries: a systematic review and a diagnostic accuracy meta-analysis of blunt trauma	Injury, Published: July 2

Schellenberg, Morgan; Liasidis, Panagiotis; Inaba, Kenji et al.	Gunshot wounds sustained during legal intervention versus those inflicted by civilians: A comparative analysis	Journal of Trauma and Acute Care Surgery: February 2022 - Volume 92 - Issue 2 - p 436-441
Steinvik T, Raatiniemi L, Mogensen B, et al.	Epidemiology of trauma in the subarctic regions of the Nordic countries.	BMC Emerg Med. 2022 Jan 11;22(1):7
Stigson H, Malakuti I, Klingegård M.	Electric scooters accidents: Analyses of two Swedish accident data sets.	Accid Anal Prev. 2021 Nov 5;163:106466.
Stroda, A., Thelen, S., M'Pembele, R. et al.	Association between hypotension and myocardial injury in patients with severe trauma.	Eur J Trauma Emerg Surg (2022). https://doi.org/10.1007/s00068-022-02051-5
Thomas, Arielle ; Stey, Anne M.	The Firearm Injury Epidemic	Annals of Surgery: May 2022 - Volume 275 - Issue 5 - p e728
Thomas, Arielle C.; Campbell, Brendan T.; Subacius, Haris et al.	Time to OR for patients with abdominal gunshot wounds: A potential process measure to assess the quality of trauma care?	Journal of Trauma and Acute Care Surgery: April 2022 - Volume 92 - Issue 4 - p 708-716
Vasse, Matthieu ; Belaroussi, Yaniss; Avaro, Jean-Philippe et al.	Surgical exploration for stable patients with penetrating cardiac box injuries: When and how? A cohort of 155 patients from Marseille area.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 394-401
Veenis, AC et al.	Acute stress disorder in trauma patients discharged in 72 h or less	Injury, Published: July 20

Transfusion, koagulopati

Barquero López, Marta; Martínez Cabañero, Javier; Muñoz Valencia, Alejandro	Dynamic use of fibrinogen under viscoelastic assessment results in reduced need for plasma and diminished overall transfusion requirements in severe trauma.	Journal of Trauma and Acute Care Surgery: August 2022 - Volume 93 - Issue 2 - p 166-175
Brill JB, Brenner M, Duchesne J, et al.	The Role of TEG and ROTEM in Damage Control Resuscitation.	Shock. 2021 Dec 1;56(1S):52-61.
Brill, Jason B MD; Tang, Brian BS; Hatton, Gabrielle et al.	Impact of Incorporating Whole Blood into Hemorrhagic Shock Resuscitation: Analysis of 1,377 Consecutive Trauma Patients Receiving Emergency-Release Uncrossmatched Blood Products,	Journal of the American College of Surgeons: April 2022 - Volume 234 - Issue 4 - p 408-418

Carge, Michael MD; Diebel, Lawrence N. MD; Liberati, David M. MS	The effect of tranexamic acid dosing regimen on trauma/hemorrhagic shock-related glycocalyx degradation and endothelial barrier permeability: An in vitro model,	Journal of Trauma and Acute Care Surgery: May 2022 - Volume 92 - Issue 5 - p 812-820
Caspers, M., Schäfer, N., Bouillon, B. et al.	Plasmatic coagulation profile after major traumatic injury: a prospective observational study.	Eur J Trauma Emerg Surg (2022).
Černý V, Maegele M, Agostini V, Fries D, Leal-Noval SR, Nardai G, Nardi G, Östlund A, Schöchl H.	Variations and obstacles in the use of coagulation factor concentrates for major trauma bleeding across Europe: outcomes from a European expert meeting.	Eur J Trauma Emerg Surg. 2022 Apr;48(2):763-774.
Deeb, Andrew-Paul; Hoteit, Lara; Li, Shimena et al.	Prehospital synergy: Tranexamic acid and blood transfusion in patients at risk for hemorrhage,	Journal of Trauma and Acute Care Surgery: July 2022 - Volume 93 - Issue 1 - p 52-58
Dissanaike, Sharmila	Invited Commentary: Ultramassive Transfusion in Trauma: When Is Enough, Enough?.	Journal of the American College of Surgeons: September 2022 - Volume 235 - Issue 3 - p 480-481
Dorken Gallastegi, Ander; Naar, Leon; Gaitanidis, Apostolos et al.	Do not forget the platelets: The independent impact of red blood cell to platelet ratio on mortality in massively transfused trauma patients,	Journal of Trauma and Acute Care Surgery: July 2022 - Volume 93 - Issue 1 - p 21-29
Dorken Gallastegi, Ander; Secor, Jordan D; Maurer, Lydia R et al.	Role of Transfusion Volume and Transfusion Rate as Markers of Futility During Ultramassive Blood Transfusion in Trauma,	Journal of the American College of Surgeons: May 09, 2022 - Volume - Issue - 10.1097/XCS.000000000000268
Grace Yin, Nada Radulovic, Melissa O'Neill et al.	Predictors of transfusion in trauma and their utility in the prehospital environment: a scoping review,	Prehospital Emergency online September 6
Guyette, Frank X. MD, MPH; Zenati, Mazen; Triulzi, Darrell J. MD; et al.	Prehospital low titer group O whole blood is feasible and safe: Results of a prospective randomized pilot trial,	Journal of Trauma and Acute Care Surgery: May 2022 - Volume 92 - Issue 5 - p 839-847
Hu, H., Lai, X., Tan, C., Yao, N., & Yan, L..	Factors Associated with In-Patient Mortality in the Rapid Assessment of Adult Earthquake Trauma Patients.	Prehospital and Disaster Medicine, 37(3), 299-305.
James, A., Abback, PS., Pasquier, P. et al.	The conundrum of the definition of haemorrhagic shock: a pragmatic exploration based on a scoping review, experts' survey and a cohort analysis.	Eur J Trauma Emerg Surg (2022).
Lawson, Michael A.; Holle, Lori A.; Dow, Nathan E. et al.	Plasma-based assays distinguish hyperfibrinolysis and shutdown subgroups in trauma-induced coagulopathy	Journal of Trauma and Acute Care Surgery: June 10, 2022 - Volume - Issue - 10.1097

McCoy CC, Brenner M, Duchesne J, et al.	Back to the Future: Whole Blood Resuscitation of the Severely Injured Trauma Patient.	Shock. 2021 Dec 1;56(1S):9-15.
Meizoso, Jonathan P; Moore, Ernest E; Pieracci, Fredric et al.	Role of Fibrinogen in Trauma-Induced Coagulopathy	Journal of the American College of Surgeons: April 2022 - Volume 234 - Issue 4 - p 465-473
Quintana MT, Zebley JA, Vincent A et al.	Cresting mortality: Defining a plateau in ongoing massive transfusion	J Trauma Acute Care Surg. 2022 Jul 1;93(1):43-51.
Stein, Deborah M.; Upperman, Jeffrey S.; Livingston, David H. et al.	National blood shortage: A call to action from the trauma community.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p e119-e122
Steinvall I, Elmasry M, Abdelrahman I, El-Serafi A, Fredrikson M, Sjöberg F.	ABO blood group and effects on ventilatory time, length of stay and mortality in major burns a retrospective observational outcome study.	Burns. 2022 Jun;48(4):785-790.
Stevens, Jenny; Pickett, Kaci; Moore, Hunter et al.	Thrombelastography and transfusion patterns in severely injured pediatric trauma patients with blunt solid organ injuries	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 152-158
Tapking, C et al.	Tranexamic acid reduced blood transfusions in acute burn surgery: A retrospective case-controlled trial	Burns Volume 48, Issue 3, May 2022, Pages 522-528
Thaddeus J. Puzio, David E. Meyer, Nicolas Heft, Wren Nealy & Lesley Osborn (2022)	Continuum of Care: A Multiagency Approach to Seamless Warmed Prehospital Whole Blood Resuscitation of a Patient with Noncompressible Truncal Hemorrhage,	Prehospital Emergency online July 22
Vedin T, Lundager Forberg J, Anefjäll E, Lehtinen R, Faisal M, Edelhamre M.	Antiplatelet therapy contributes to a higher risk of traumatic intracranial hemorrhage compared to anticoagulation therapy in ground-level falls: a single-center retrospective study.	Eur J Trauma Emerg Surg. 2022 Jun 22.
Wallen, Taylor E; Singer, Kathleen E; Morris, Mackenzie C. et al.	Blood product resuscitation mitigates the effects of aeromedical evacuation after polytrauma	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 12-20
Yliharju, H., Jama, T. & Nordquist, H.	Initial experiences of prehospital blood product transfusions between 2016 and 2020 in Päijät-Häme hospital district, Finland.	Scand J Trauma Resusc Emerg Med 30, 39 (2022).
Zipperle, Johannes; Oberladstätter, Daniel; Weichselbaum, Nadja et al.	Thromboelastometry fails to detect autoheparinization after major trauma and hemorrhagic shock,	Journal of Trauma and Acute Care Surgery: March 2022 - Volume 92 - Issue 3 - p 535-541

Triage, masskadehändelse, avsiktliga attacker

Almeland SK, Depoortere E, Jennes S, et al.	Burn mass casualty incidents in Europe: A European response plan within the European Union Civil Protection Mechanism.	Burns. 2022 Jul 22:S0305-4179(22)00191-7. doi: 10.1016/j.burns.2022.07.008.
Apiratwarakul, K., Cheung, L., Tiamkao, S. et al.	Smart Glasses: A New Tool for Assessing the Number of Patients in Mass-Casualty Incidents.	Prehospital and Disaster Medicine, 1-5.
Bhaumik, S., Hannun, M., Dymond, C. et al.	Prehospital triage tools across the world: a scoping review of the published literature.	Scand J Trauma Resusc Emerg Med 30, 32 (2022).
Dixon, J., Burkholder, T., Pigoga, J. et al.	Using the South African Triage Scale for prehospital triage: a qualitative study.	BMC Emerg Med 21, 125 (2021).
Fisher, E., Claudius, I., Kaji, A. et al.	Inter-Rater Reliability and Agreement Among Mass-Casualty Incident Algorithms Using a Pediatric Trauma Dataset: A Pilot Study.	Prehospital and Disaster Medicine, 37(3), 306-313.
Gamberini, L., Imbriaco, G., Ingrassia, P. et al.	Logistic Red Flags in Mass-Casualty Incidents and Disasters: A Problem-Based Approach.	Prehospital and Disaster Medicine, 1-8.
Gathen, M., Welle, K., Jaenisch, M. et al.	Are orthopaedic surgeons prepared? An analysis of severe casualties from the 2021 flash flood and mudslide disaster in Germany.	Eur J Trauma Emerg Surg (2022).
Holmberg, L., Mani, K., Thorbjørnsen, K. et al.	Trauma triage criteria as predictors of severe injury - a Swedish multicenter cohort study.	BMC Emerg Med 22, 40 (2022).
Imai, K., Suzuki, T., Fukaya, S. et al.	A New Quantitative Triage System for Hospitalized Neonates to Assist with Decisions of Hospital Evacuation Priorities.	Prehospital and Disaster Medicine, 1-7.
Joshua R. Lupton, Cynthia Davis-O'Reilly, Rebecca M. Jungbauer et al.	Under-Triage and Over-Triage Using the Field Triage Guidelines for Injured Patients: A Systematic Review	Prehospital Emergency Care, online March 4
Karim Brohi, Rosel Tallach	Mass casualty medicine: time for a 21st century refresh	British Journal of Anaesthesia VOLUME 128, ISSUE 2, E65-E67, FEBRUARY 01, 2022

Kongensgaard, F.T., Fløjstrup, M., Lassen, A. et al.	Are 5-level triage systems improved by using a symptom based approach?—a Danish cohort study.	Scand J Trauma Resusc Emerg Med 30, 31 (2022).
Koski, A., Pappinen, J., Kouvonnen, A. et al.	Preparedness for mass gatherings: rescue and emergency medical services' workloads during mass gathering events.	Scand J Trauma Resusc Emerg Med 30, 15 (2022).
Li W, Mok G, Nolan B.	Pre-hospital trauma triage: Outcomes of interfacility transferred trauma patients meeting pre-hospital triage criteria.	Trauma. March 2022.
Lin, P et al.	Disparities in Emergency Department Prioritization and Rooming of Patients with Similar Triage Acuity Score	Acad Emerg Med. (2022) September 14
Lin, YK et al.	Simple triage and rapid treatment protocol for emergency department mass casualty incident victim triage	The American Journal of Emergency Medicine Volume 53, March 2022, Pages 99-103
Marcussen CE et al.	Accuracy of prehospital triage systems for mass casualty incidents in trauma register studies - A systematic review and meta-analysis of diagnostic test accuracy studies.	Injury. 2022 May 19:S0020-1383(22)00338-2.
Ornella, Spagnolello; Esmati, Shekiba; Amiri, Abdul Fahim et al.	KABUL AIRPORT SUICIDE BOMBING ATTACK: MASS CASUALTY MANAGEMENT AT THE EMERGENCY'NGO HOSPITAL,	Journal of Trauma and Acute Care Surgery: June 10, 2022 - Volume - Issue - 10.1097
Tin, D., Barten, D., De Cauwer, H. et al.	Terrorist Attacks in Western Europe: A Counter-Terrorism Medicine Analysis	Prehospital and Disaster Medicine, 1-6.
Tin, D., Issa, F., & Ciottone, G.	Attacks on Educational Institutions.	Prehospital and Disaster Medicine, 1-5.
Wireklint, S.C., Elmquist, C., Fridlund, B. et al.	A longitudinal, retrospective registry-based validation study of RETTS©, the Swedish adult ED context version.	Scand J Trauma Resusc Emerg Med 30, 27 (2022).
Wirken, B., Barten, D., De Cauwer, H., et al.	Primary Care as Primary Target: A Review of Terrorist Attacks Against Primary Care Providers and Their Offices.	Prehospital and Disaster Medicine, 1-4.
Wolff E, Shankiti I, Salio F, von Schreeb J.	The Response by International Emergency Medical Teams Following the Beirut Harbor Explosion in 2020 - Who Were They, When Did They Arrive, What Did They Do, and Were They Needed?	Prehosp Disaster Med. 2022 May 20:1-6.

Pediatrisk och äldre patientgrupp

Banerjee N, Sharma N, Soni KD, et al.	Are home environment injuries more fatal in children and the elderly?	Injury. 2022 Jun;53(6):1987-1993.
Chaudhari, PP, Rodean, J, Spurrier, RG, et al.	Epidemiology and management of abdominal injuries in children.	Acad Emerg Med. 2022; 00: 1- 10
Cintean, R., Eickhoff, A., Zieger, J. et al.	Epidemiology, patterns, and mechanisms of pediatric trauma: a review of 12,508 patients.	Eur J Trauma Emerg Surg (2022). https://doi.org/10.1007/s00068-022-02088-6
Collins, Kathryn C.; Burdall, Oliver; Kassam, Jamila et al.	Health-related quality of life and functional outcome measures for pediatric multiple injury: A systematic review and narrative synthesis,	Journal of Trauma and Acute Care Surgery: May 2022 - Volume 92 - Issue 5 - p e92-e106
Georgette, Nathan; Keskey, Robert; Hampton, David et al.	Derivation and Validation of an Improved Pediatric Shock Index for Predicting Need for Early Intervention and Outcomes in Pediatric Trauma	Journal of Trauma and Acute Care Surgery: June 24, 2022 - Volume - Issue - 10.1097
Lillvis, Denise F.; Sheehan, Karen M.; Yu, Jihnhee et al.	Characterizing physical trauma in children and youth with special health care needs.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 299-306
MacKinnon RJ, Slater D, Pukk-Härenstam K, et al.	Adaptations to practice and resilience in a paediatric major trauma centre during a mass casualty incident.	Br J Anaesth. 2022 Feb;128(2):e120-e126.
Maughan, Brandon C; Lin, Amber; Caughey, Aaron B et al.	Field Trauma Triage among Older Adults: A Cost-Effectiveness Analysis	Journal of the American College of Surgeons: February 2022 - Volume 234 - Issue 2 - p 139-154
McCormick, Taylor; Haukoos, Jason; Hopkins, Emily et al.	Adding Age-Adjusted Shock Index to the American College of Surgeons' Trauma Team Activation Criteria to Predict Severe Injury in Children	Journal of Trauma and Acute Care Surgery: May 20, 2022 - Volume - Issue - 10.1097
Melhado, Caroline G; Yorkgitis, Brian K; Patel, Bhavin et al.	Establishing National Stakeholder Priorities for Quality Improvement in Pediatric Trauma Care: Consensus Results Using a Modified Delphi Process,	Journal of Trauma and Acute Care Surgery: June 17, 2022 - Volume - Issue - 10.1097
Nederpelt, C., Naar, L., Meier, K. et al.	Treatment and outcomes of anticoagulated geriatric trauma patients with traumatic intracranial hemorrhage after falls.	Eur J Trauma Emerg Surg (2022).
Newgard CD, Lin A, Goldhaber-Fiebert JD, et al.	Association of Emergency Department Pediatric Readiness With Mortality to 1 Year Among Injured Children Treated at Trauma Centers.	JAMA Surg. Published online February 02, 2022

Nishijima, D.K., VanBuren, J.M., Linakis, S.W., et al.	Traumatic injury clinical trial evaluating tranexamic acid in children (TIC-TOC): a pilot randomized trial.	Acad Emerg Med. Accepted Author Manuscript. https://doi.org/10.1111/acem.14481
Park C, Bharija A, Mesias M, et al.	Association Between Implementation of a Geriatric Trauma Clinical Pathway and Changes in Rates of Delirium in Older Adults With Traumatic Injury.	JAMA Surg. Published online June 08, 2022
Reppucci, Marina L; Acker, Shannon N; Cooper, Emily et al.	Improved identification of severely injured pediatric trauma patients using reverse shock index multiplied by Glasgow Coma Scale	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 69-73
Spering, C., Müller, G., Füzesi, L. et al.	Prevention of severe injuries of child passengers in motor vehicle accidents: is re-boarding sufficient?	Eur J Trauma Emerg Surg (2022).
Stopinski, Stephen; Kuza, Catherine M. MD; Luo, Xi et al	Comparison of National Surgical Quality Improvement Program Surgical Risk Calculator, Trauma and Injury Severity Score, and American Society of Anesthesiologists Physical Status to predict operative trauma mortality in elderly patients,	Journal of Trauma and Acute Care Surgery: March 2022 - Volume 92 - Issue 3 - p 481-488
Ting, Tiffany; Wakeman, Derek S.; Arca, Marjorie J. et al.	Prehospital Factors Predict Outcomes in Pediatric Trauma: A Principal Component Analysis,	Journal of Trauma and Acute Care Surgery: May 12, 2022
Tovar, M., Pilkington, R., Goodwin, T., & Root, J.	Pediatric Blast Trauma: A Systematic Review and Meta-Analysis of Factors Associated with Mortality and Description of Injury Profiles.	Prehospital and Disaster Medicine, 1-10.
Trinidad, Stephen MD; Vancil, Andrew MS; Brokamp, Cole	Relationships between socioeconomic deprivation and pediatric firearm-related injury at the neighborhood level.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 283-290

Traumatisk hjärnskada - TBI

Daley, M. et al.	Pediatric severe traumatic brain injury mortality prediction determined with machine learning-based modeling	Injury, online January 4 2022
Forssten MP, Bass GA, Scheufler KM et al.	Mortality risk stratification in isolated severe traumatic brain injury using the revised cardiac risk index.	Eur J Trauma Emerg Surg. 2021 Nov 27.

Harmer, Jordan W.; Dewey, Elizabeth N.; Meier, Eric N. et al.	Tranexamic acid is not inferior to placebo with respect to adverse events in suspected traumatic brain injury patients not in shock with a normal head computed tomography scan: A retrospective study of a randomized trial.	Journal of Trauma and Acute Care Surgery: July 2022 - Volume 93 - Issue 1 - p 98-105
Meizoso, Jonathan P.; Moore, Hunter B.; Moore, Ernest E. et al.	Traumatic brain injury provokes low fibrinolytic activity in severely injured patients,	Journal of Trauma and Acute Care Surgery: July 2022 - Volume 93 - Issue 1 - p 8-12
Miles, M. Victoria P.; Hicks, R. Chace; Parmer, Hunter et al.	Traumatic brain injury patients with platelet inhibition receiving platelet transfusion demonstrate decreased need for neurosurgical intervention and decreased mortality,	Journal of Trauma and Acute Care Surgery: April 2022 - Volume 92 - Issue 4 - p 701-707
Mukerji, S., Darwin, S., Suchdev, K. et al.	Persistent coagulopathy after gunshot traumatic brain injury: the importance of INR and the SPIN score.	Eur J Trauma Emerg Surg (2022).
Newcombe VFJ, Ashton NJ, Posti JP, et al.	Post-acute blood biomarkers and disease progression in traumatic brain injury.	Brain. 2022 Apr 4:awac126.
Niemeyer, MJS et al.	Mortality in Polytrauma Patients with Moderate to Severe TBI on Par with Isolated TBI Patients: TBI as Last Frontier in Polytrauma Patients.	Injury, online January 4 2022
Rostami E, Gustafsson D, Hånell A, et al.	Prognosis in moderate-severe traumatic brain injury in a Swedish cohort and external validation of the IMPACT models.	Acta Neurochir (Wien). 2021 Dec 22.
Sebastiaan M. Bossers, Robert Verheul, Erik W. van Zwet et al.	Prehospital Intubation of Patients with Severe Traumatic Brain Injury: A Dutch Nationwide Trauma Registry Analysis	Prehospital Emergency online September 8
Sevakumar, S et al.	Timing of tracheostomy in patients with severe traumatic brain injuries: The need for tailored practice management guidelines	Injury, Published: June 23
Sheff, Zachary T.; Engbrecht, Brett W.; Rodgers, Richard et al.	Mortality of Adolescents with Isolated Traumatic Brain Injury Does Not Vary with Type of Level I Trauma Center,	Journal of Trauma and Acute Care Surgery: April 4, 2022
Thomas, I., Dickens, A.M., Posti, J.P. et al.	Serum metabolome associated with severity of acute traumatic brain injury.	Nat Commun 13, 2545 (2022).
Trivedi DJ, Bass GA, Forssten MP, et al.	The significance of direct transportation to a trauma center on survival for severe traumatic brain injury.	Eur J Trauma Emerg Surg. 2022 Feb 28.
Turcato, G et al.	Risk of delayed intracranial haemorrhage after an initial negative CT in patients on DOACs with mild traumatic brain injury	The American Journal of Emergency Medicine 2022 available online Jan 15

Wallen, Taylor E.; Singer, Kathleen E; Baucom, Matthew R. et al.	Effects of antifibrinolytics on systemic and cerebral inflammation after traumatic brain injury.	Journal of Trauma and Acute Care Surgery: July 2022 - Volume 93 - Issue 1 - p 30-37
Weber, C., Andreassen, J.S., Behbahani, M. et al.	Characteristics, image findings and clinical outcome of moderate and severe traumatic brain injury among severely injured children: a population-based cohort study.	Eur J Trauma Emerg Surg (2022).
Wickbom F, Persson L, Olivecrona Z, Undén J.	Management of paediatric traumatic brain injury in Sweden: a national cross-sectional survey.	Scand J Trauma Resusc Emerg Med. 2022 May 12;30(1):35.
Yorkgitis, Brian K; Tatum, Danielle M; Taghavi, Sharven et al.	Eastern Association for the Surgery of Trauma Multicenter Trial: Comparison of pre-injury antithrombotic use and reversal strategies among severe traumatic brain injury patients	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 88-92

Prehospital

Abou Arbid, S., Bachir, R., & El Sayed, M.	Association between Mode of Transportation and Survival in Adult Trauma Patients with Penetrating Injuries: Matched Cohort Study between Police and Ground Ambulance Transport.	Prehospital and Disaster Medicine, 37(2), 171-178.
Almond, P., Morton, S., OMeara, M. et al.	A 6-year case series of resuscitative thoracotomies performed by a helicopter emergency medical service in a mixed urban and rural area with a comparison of blunt versus penetrating trauma.	Scand J Trauma Resusc Emerg Med 30, 8 (2022).
Árnason B, Hertzberg D, Kornhall D, Günther M, Gellerfors M.	Pre-hospital emergency anaesthesia in trauma patients treated by anaesthetist and nurse anaesthetist staffed critical care teams.	Acta Anaesthesiol Scand. 2021 Oct
Azarkane, M. et al.	Prehospital body temperature measurement in trauma patients: A literature review	Injury, online April 6 2022
Benhamed, Axel, Canon, Valentine, Mercier, Eric et al.	Prehospital predictors for return of spontaneous circulation in traumatic cardiac arrest,	Journal of Trauma and Acute Care Surgery: November 17, 2021
Björkman, J. et al.	Effect of time intervals in critical care provided by helicopter emergency medical services on 30-day survival after trauma	Injury, online January 15 2022
Dae Kon Kim, Joo Jeong, Sang Do Shin et al for PATOS Clinical Research Network	Association between prehospital field to emergency department delta shock index and in-hospital mortality in patients with torso and extremity trauma: A multinational, observational study	PLOS One Published: October 25, 2021

Dalton, MK et al.	Opioid administration in the prehospital setting for patients sustaining traumatic injuries: An evaluation of national emergency medical services data	Injury, online April 8 2022
Escobar, Natalie; DiMaggio, Charles; Frangos, Spiros G et al.	Disparity in Transport of Critically Injured Patients to Trauma Centers: Analysis of the National Emergency Medical Services Information System (NEMSIS).	Journal of the American College of Surgeons: July 2022 - Volume 235 - Issue 1 - p 78-85
Höglund E, Schröder A, Andersson-Hagiwara M, et al.	Outcomes in patients not conveyed by emergency medical services (EMS): a one-year prospective study.	Scand J Trauma Resusc Emerg Med. 2022 Jun 13;30(1):40.
Mokhtari, A.K., Mikdad, S., Luckhurst, C. et al.	Prehospital extremity tourniquet placements—performance evaluation of non-EMS placement of a lifesaving device.	Eur J Trauma Emerg Surg (2022).
Nicolas W. Medrano, Cynthia Lizette Villarreal, N. Clay Mann et al.	Activation and On-Scene Intervals for Severe Trauma EMS Interventions: An Analysis of the NEMSIS Database,	Prehospital Emergency Care, online April 15
Partyka, C., Coggins, A., Bliss, J. et al.	A multicenter evaluation of the accuracy of prehospital eFAST by a physician-staffed helicopter emergency medical service.	Emerg Radiol (2021).
Taghavi, Sharven; Maher, Zoe; Goldberg, Amy J.	An analysis of police transport in an Eastern Association for the Surgery of Trauma multicenter trial examining prehospital procedures in penetrating trauma patients.	Journal of Trauma and Acute Care Surgery: August 2022 - Volume 93 - Issue 2 - p 265-272
Winter, Eric; Byrne, James P; Hynes, Allyson M. et al.	Coming in Hot: Police Transport and Pre-Hospital Time After Firearm Injury,	Journal of Trauma and Acute Care Surgery: May 20, 2022 - Volume - Issue - 10.1097
Zain G Hashmi, Parker J Hu, Jan O Jansen et al.	Characteristics and Outcomes of Pre-Hospital Tourniquet Use for Trauma in the United States	Prehospital Emergency Care, online Jan 6

Forskningsmetodik

Abraham, Peter J.; Crowley, Brandon M.; Moore, Dylana et al.	Understanding the geography of trauma: Combining spatial analysis and funnel plots to create comprehensive spatial injury profiles.	Journal of Trauma and Acute Care Surgery: August 2022 - Volume 93 - Issue 2 - p 238-246
Candefjord S, Nguyen L, Buendia R et al.	A wearable microwave instrument can detect and monitor traumatic abdominal injuries in a porcine model.	Sci Rep. 2021 Dec 1;11(1):23220.

Cau, M.F. et al.	Percutaneous delivery of self-propelling hemostatic powder for managing non-compressible abdominal hemorrhage: a proof-of-concept study in swine	Injury, online January 15 2022
Dahlquist A, Elander Degerstedt L, von Oelreich E et al.	Blast polytrauma with hemodynamic shock, hypothermia, hypoventilation and systemic inflammatory response: description of a new porcine model.	Eur J Trauma Emerg Surg. 2022 Feb;48(1):401-409.
Fields, Alexander T; Lee, Man-Cheung; Mayer, Fahima et al.	A new trauma frontier: Exploratory pilot study of platelet transcriptomics in trauma patients,	Journal of Trauma and Acute Care Surgery: February 2022 - Volume 92 - Issue 2 - p 313-322
Kim, Hyo In; Park, Jinbong; Konecna, Barbora et al.	Plasma and wound fluids from trauma patients suppress neutrophil extracellular respiratory burst	Journal of Trauma and Acute Care Surgery: February 2022 - Volume 92 - Issue 2 - p 330-338
Lang, Elodie; Neuschwander, Arthur; Favé, Gersende et al.	Clinical decision support for severe trauma patients: Machine learning based definition of a bundle of care for hemorrhagic shock and traumatic brain injury	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 135-143
Lotta Velin, Mbonyintwari Donatien, Andreas Wladis, et al.	Systematic media review: A novel method to assess mass-trauma epidemiology in absence of databases – A pilot-study in Rwanda	PLoS ONE Published October 13, 2021
Mou, Zongyang; Godat, Laura N; El-Kareh, Robert et al.	Electronic health record machine learning model predicts trauma inpatient mortality in real time: A validation study	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 74-80
Måns Muhrbeck, Andreas Wladis, Maria Lampi et al.	Efficacy of topical honey compared to systemic gentamicin for treatment of infected war wounds in a porcine model: A non-inferiority experimental pilot study	Injury Published October 20, 2021
Newgard, Craig D.; Braverman, Maxwell A.; Phuong, Jimmy et al.	Developing a National Trauma Research Action Plan: Results from the prehospital and mass casualty research Delphi survey	Journal of Trauma and Acute Care Surgery: February 2022 - Volume 92 - Issue 2 - p 398-406
Pulcini, C.D., Goyal, M.K., De Souza, H.G., et al.	A firearm violence research methodologic pitfall to avoid.	Acad Emerg Med. (2022)

Rehabilitering, uppföljning

Daly, Stuart L; Gabbe, Belinda J; Climie, Rachel E. et al.	Association between type 2 diabetes and long-term outcomes in middle-aged and older trauma patients	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 185-192
David SD, Aroke A, Roy N, Solomon H, Lundborg CS, Gerdin Wärnberg M.	Measuring socioeconomic outcomes in trauma patients up to one year post-discharge: A systematic review and meta-analysis.	Injury. 2022 Feb;53(2):272-285. doi: 10.1016/j.injury.2021.10.012.
Hatchimonji, Justin S.; Kaufman, Elinore J; Babalola, Deborah et al.	Beyond pain and disability: The lasting effects of trauma on life after injury.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 332-339
Herrera-Escobar, Juan P.; Uribe-Leitz, Tarsicio; Wang, Joyce et al.	The Social Vulnerability Index and Long-term Outcomes After Traumatic Injur	Annals of Surgery: July 2022 - Volume 276 - Issue 1 - p 22-29
Kaufman, EJ	Change in outcomes for trauma patients over time: Two decades of a state trauma system	Injury, Published:June 16, 2022DOI: https://doi.org/10.1016/j.injury.2022.06.011
Lucena-Amano, S. et al.	Long term outcomes following rib fracture fixation in patients with major chest trauma	Injury, online April 24 2022
Mitra, B et al	Long-term outcomes of major trauma patients with concussion	Injury, Published: July 29
Neiman, Pooja U; Flaherty, Melanie M.; Salim, Ali et al.	Evaluating the complex association between Social Vulnerability Index and trauma mortality	Journal of Trauma and Acute Care Surgery: May 2022 - Volume 92 - Issue 5 - p 821-830
Olive P, Hives L, Wilson N, et al.	Psychological and psychosocial aspects of major trauma care in the United Kingdom: A scoping review of primary research.	Trauma. June 2022.
Rosen, Joshua E; Bulger, Eileen M; Cuschieri, Joseph et al.	Respiratory events after intensive care unit discharge in trauma patients: Epidemiology, outcomes, and risk factors	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 28-37
Rotundo, Erica; Braunreuther, Elizabeth; Dale, Miles et al.	Retrospective Review of Trauma ICU Patients With and Without Palliative Care Intervention.	Journal of the American College of Surgeons: August 2022 - Volume 235 - Issue 2 - p 278-284
Wallner, B., Öhlbauer, M. & von Rüden, C.	Long-term results of split-thickness skin grafting with and without additional dermal matrix in severe traumatic soft tissue defects of the lower limb.	Eur J Trauma Emerg Surg (2022). https://doi.org/10.1007/s00068-022-02107-6

Tactical medicine

Covey, DC et al.	Field tourniquets in an austere military environment: A prospective case series	Injury, Published: July 27
Cralley, Alexis L.; Moore, Ernest E.; Kissau, Daniel et al.	Combat Casualty Relevant Dismounted Complex Blast Injury Model In Swine	Journal of Trauma and Acute Care Surgery: May 12
Dengler, Bradley A.; Agimi, Yll; Stout, Katharine	Epidemiology, patterns of care and outcomes of traumatic brain injury in deployed military settings: Implications for future military operations.	Journal of Trauma and Acute Care Surgery: August 2022 - Volume 93 - Issue 2 - p 220-228
Gurney, Jennifer M.; Staudt, Amanda M.; del Junco, Deborah J. et al.	Determining Resuscitation Outcomes in Combat Casualties: Design of the Deployed Hemostatic Emergency Resuscitation Of Traumatic Exsanguinating Shock (Deployed HEROES) Study.	Journal of Trauma and Acute Care Surgery: May 23, 2022 - Volume - Issue - 10.1097
Kauvar D, Cotton B, Khan M et al.	Challenges and Opportunities for Endovascular Treatment of Hemorrhage in Combat Casualty Care.	Shock. 2021 Dec 1;56(1S):46-51.
Khorram-Manesh A, Goniewicz K, Burkle FM, Robinson Y.	Review of Military Casualties in Modern Conflicts-The Re-emergence of Casualties From Armored Warfare.	Mil Med. 2022 Mar 28;187(3-4):e313-e321.
Lee, Joseph J; Hall, Andrew B.; Carr, Matthew J. et al.	Integrated military and civilian partnerships are necessary for effective trauma-related training and skills sustainment during the inter-war period,	Journal of Trauma and Acute Care Surgery: April 2022 - Volume 92 - Issue 4 - p e57-e76
Mould-Millman, Nee-Kofi; Baidwan, Navneet K.; Beaty, Brenda et al.	Prolonged Casualty Care: Extrapolating Civilian Data to the Military Context	Journal of Trauma and Acute Care Surgery: May 21, 2022 - Volume - Issue - 10.1097
Steven G Schauer, Michael D April, Andrew D Fisher et al.	Hypothermia in the combat trauma population,	Prehospital Emergency online August 29
Steven G. Schauer, Brit J. Long, Julie A. Rizzo et al.	A Conceptual Framework for Non-Military Investigators to Understand the Joint Roles of Medical Care in the Setting of Future Large Scale Combat Operations	Prehospital Emergency Care, online Jan 25
Vrancken SM, Borger van der Burg BLS, DuBose JJ et al.	Advanced Bleeding Control in combat casualty care: an international, expert-based Delphi consensus.	J Trauma Acute Care Surg. 2022 Jan 21.

Covid-19

Antonini, M., Hinwood, M., Paolucci, F. et al.	The Epidemiology of Major Trauma During the First Wave of COVID-19 Movement Restriction Policies: A Systematic Review and Meta-analysis of Observational Studies.	World J Surg 46, 2045–2060 (2022).
Bäckström, D., Wladis, A.	A cohort study of trauma patients in Sweden during the first months of the COVID-19 pandemic: a small reduction in trauma admissions.	Scand J Trauma Resusc Emerg Med 30, 12 (2022).
Driessen, Mitchell L. S.; Sturms, Leontien M; Bloemers, Frank W. et al.	The Detrimental Impact of the COVID-19 Pandemic on Major Trauma Outcomes in the Netherlands	Annals of Surgery February 2022 - Volume 275 - Issue 2 - p 252-258
Gillory, Lauren; Cairo, Sarah; Megison, Steve et al.	Effect of Quarantine and Reopening Measures on Pediatric Trauma Admissions During the 2019 SARS-CoV2 Virus Pandemic,	Journal of the American College of Surgeons: April 2022 - Volume 234 - Issue 4 - p 685-690
Granqvist M, Hedberg P, Nauclér P, Enocson A.	Influence of perioperative SARS-CoV-2 infection on mortality in orthopaedic inpatients with surgically treated traumatic fractures.	Eur J Orthop Surg Traumatol. 2022 Mar 24:1–7.
Hirston, TKS et al.	A traumatic pandemic: High acuity pediatric trauma in the COVID19 era	Injury, Published: August 8
Jodal HC, Juul FE, Barua I, Bretthauer M, et al.	Emergency hospital admissions, prognosis, and population mortality in Norway during the first wave of the Covid-19 epidemic.	Scand J Public Health. 2022 May 12:14034948221082959.
Liveris, Anna; Stone, Melvin E. Jr.; Markel, Harley et al.	When New York City was the COVID-19 pandemic epicenter: The impact on trauma care.	Journal of Trauma and Acute Care Surgery: August 2022 - Volume 93 - Issue 2 - p 247-255
Migliorini, F., Weber, C.D., Pappalardo, G. et al.	Orthopaedic, trauma surgery, and Covid-2019 pandemic: clinical panorama and future prospective in Europe.	Eur J Trauma Emerg Surg (2022).
Nijman RG, Honeyford K, Farrugia R, et al.	Presentations of children to emergency departments across Europe and the COVID-19 pandemic: A multinational observational study.	PLoS Med. 2022 Aug 26;19(8):e1003974. doi: 10.1371/journal.pmed.1003974.

Traumateam, utbildning

Bhangu, Avneesh; Stevenson, Christina; Szulewski, Adam et al.	A scoping review of nontechnical skill assessment tools to evaluate trauma team performance,	Journal of Trauma and Acute Care Surgery: May 2022 - Volume 92 - Issue 5 - p e81-e91
Callcut, Rachael A.; Dixon, Rachel; Smith, Jason W.; et al. & the EAST Research-Scholarship Committee.	Growing the next generation of trauma surgeon-scientists: Reflections on 20 years of research investment.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 340-346

Colonna, Alexander L. ; Robbins, Riann; Stefanucci, Jeanine; et al.	Trauma bay virtual reality—A game changer for ATLS instruction and assessment.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p 353-359
Goolsby, Craig; Jonson, Carl-Oscar; Goralnick, Eric; et al.	The Untrained Public's Ability to Apply the Layperson Audiovisual Assist Tourniquet vs a Combat Application Tourniquet: A Randomized Controlled Trial.	Journal of the American College of Surgeons: September 27, 2022 – Volume – Issue – 10.1097/XCS.0000000000000432
Holla, M et al.	Virtual reality techniques for trauma education	Injury, Published: August 20
Karlgren K, Dahlström A, Birkestam A, et al.	The TEAM instrument for measuring emergency team performance: validation of the Swedish version at two emergency departments.	Scand J Trauma Resusc Emerg Med. 2021 Sep 20
Levy, Arielle R.; Khalil, Elene; Chandramohan, Minuoya et al.	Efficacy of Computer-Based Simulation as a Modality for Learning Pediatric Disaster Triage for Pediatric Emergency Nurses	Simulation in Healthcare: The Journal of the Society for Simulation in Healthcare: October 13, 2021
Michetti, Christopher P.; Nahmias, Jeffry ; Rangel, Erika L.; et al.	The specialty of surgical critical care: A white paper from the American Association for the Surgery of Trauma Critical Care Committee.	Journal of Trauma and Acute Care Surgery: August 2022 - Volume 93 - Issue 2 - p e80-e88
Sahil Dayal, Roberto Portela, Stephen Taylor et al.	Measuring the Effect of Audio Instructions on the Time and Effectiveness of Tourniquet Application by Laypeople	Prehospital Emergency Care, online May 2
Scalese, Ross J.; Issenberg, S. Barry; Hackett, Matthew et al.	Simulation-based Education Improves Military Trainees' Skill Performance and Self- Confidence in Tourniquet Placement: A Randomized Controlled Trial	Journal of Trauma and Acute Care Surgery: May 23, 2022 - Volume - Issue - 10.1097

Riktlinjer

de Moya, Marc; Brasel, Karen J; Brown, Carlos et al.	Evaluation and management of traumatic pneumothorax: A Western Trauma Association critical decisions algorithm	Journal of Trauma and Acute Care Surgery: January 2022 - Volume 92 - Issue 1 - p 103-107
Hörer TM, Pirouzram A, Khan M et al.	Damage Control Resuscitation Committee. Endovascular Resuscitation and Trauma Management (EVTM)-Practical Aspects and Implementation.	Shock. 2021 Dec 1;56(1S):37-41.
Inaba, Kenji MD; Alam, Hasan B; Brasel, Karen J. et al.	A Western Trauma Association critical decisions algorithm: Resuscitative endovascular balloon occlusion of the aorta,	Journal of Trauma and Acute Care Surgery: April 2022 - Volume 92 - Issue 4 - p 748-753
Joseph, Bellal; Obaid, Omar; Dultz, Linda et al.	Validating the Brain Injury Guidelines: Results of an American Association for the Surgery of Trauma prospective multi-institutional trial.	Journal of Trauma and Acute Care Surgery: August 2022 - Volume 93 - Issue 2 - p 157-165

Mahoney, Eric J.; Bugaev, Nikolay; Appelbaum, Rachel; et al.	Management of the open abdomen: A systematic review with meta-analysis and practice management guideline from the Eastern Association for the Surgery of Trauma.	Journal of Trauma and Acute Care Surgery: September 2022 - Volume 93 - Issue 3 - p e110-e118
Nelson, Adam; Reina, Raul; Northcutt, Ashley et al.	Prospective validation of the Rib Injury Guidelines for traumatic rib fractures,	Journal of Trauma and Acute Care Surgery: June 2022 - Volume 92 - Issue 6 - p 967-973
Newgard, Craig D.; Fischer, Peter E.; Gestring, Mark et al.	National Guideline for the Field Triage of Injured Patients: Recommendations of the National Expert Panel on Field Triage, 2021,	Journal of Trauma and Acute Care Surgery: April 27, 2022
Olsen F, Lundborg F, Kristiansson J et al.	Validation of the Nottingham Hip Fracture Score (NHFS) for the prediction of 30-day mortality in a Swedish cohort of hip fractures.	Acta Anaesthesiol Scand. 2021 Nov;65(10):1413-1420
Yorkgitis, Brian K; Berndtson, Allison E; Cross, Alisa et al.	American Association for the Surgery of Trauma/American College of Surgeons-Committee on Trauma Clinical Protocol for inpatient venous thromboembolism prophylaxis after trauma,	Journal of Trauma and Acute Care Surgery: March 2022 - Volume 92 - Issue 3 - p 597-604